

To: Rumrill, Nancy[Rumrill.Nancy@epa.gov]
Cc: Rebecca Sawyer (rsawyer@excelsiormining.com)[rsawyer@excelsiormining.com]
From: Alison Jones
Sent: Wed 8/2/2017 11:49:39 PM
Subject: RE: your call
Tables from draft APP.docx

Hi Nancy,

Those tables in the APP are in Word. I just copied them from the draft APP and put them in this document. We'll be getting the rest of the pieces to you tomorrow.

Alison

From: Rumrill, Nancy [mailto:Rumrill.Nancy@epa.gov]
Sent: Wednesday, August 02, 2017 1:48 PM
To: Alison Jones
Cc: Rebecca Sawyer (rsawyer@excelsiormining.com)
Subject: RE: your call

Hi Alison,

Per my phone call to you, you can just provide a new page 9 with the correct references in the application. This includes the corrections to the IMW's references for Tables P-3 and P-4. We would need an updated electronic copy of the revised application too.

In addition, I asked for the IMW Table (Table 2.5-1) from the draft APP. Although I said in my phone call with you that we have Table P-1 locational information for the Observation and Hydraulic Control Wells, I like the tables in the draft APP (Tables 2.5-2 and 2.5-3) better and would like a copy of these tables from you.

Let me know if you have any questions for me.

Thanks, Nancy



United States Environmental Protection Agency

Nancy Rumrill (rumrill.nancy@epa.gov)

Drinking Water Protection Section (WTR-3-2)

US EPA, Region IX

75 Hawthorne St.

San Francisco, CA 94105

Phone (415) 972-3293

From: Alison Jones [<mailto:ajones@clearcreekassociates.com>]

Sent: Wednesday, August 2, 2017 12:10 PM

To: Rumrill, Nancy <Rumrill.Nancy@epa.gov>

Cc: Rebecca Sawyer (rsawyer@excelsiormining.com) <rsawyer@excelsiormining.com>

Subject: your call

Hi Nancy,

I got your voicemail about Attachment P. Specifically, on page 9, we referred to several drawings (p-2 through P-6). You are correct. We did not include them and it was an oversight.

The figures are exactly the same as A-13 through A-17 in Attachment A-1. We were just going to re-number them and put in Attachment P.

I can fix this one of two ways:

1—provide you with a new Page 9 for Att P that refers to Figures A-13 through 17

OR

2—Provide you with P-2 through 6.

Let me know your preference.

Alison

Alison H. Jones, R.G.

Clear Creek Associates

221 N. Court Ave.

Tucson, AZ 85701



520-622-3222 office

520-270-2825 cell

520-622-4040 fax

www.clearcreekassociates.com